

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5643	directory same attribute and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:54
L2	4274	directory same attribute and (module or service) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:55
L3	1664	directory same attribute and (module or service) and ((identif\$8 or select\$4 or choos\$4) near4 (module or service)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:56
L4	1506	directory same attribute and (module or service) and ((identif\$8 or select\$4 or choos\$4) near3 (module or service)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:56
L5	1506	directory same attribute and ((identif\$8 or select\$4 or choos\$4) near3 (module or service)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:56
L6	2237	directory same attribute and ((identif\$8 or select\$4 or choos\$4 or request\$4) near3 (module or service)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 14:57
L7	25	(directory same attribute) and ((identif\$8 or select\$4 or choos\$4 or request\$4) near3 (module or service)) and (stor\$4 near4 (attribute or data) near4 (appropriate or corresponding or linked or relevant or connected or related) near4 (segment or part or location or portion)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 15:00

L8	3	(directory same attribute) and ((identif\$8 or select\$4 or choos\$4 or request\$4) near3 (module or service)) and (stor\$4 near4 (attribute or data) near4 (appropriate or corresponding or linked or relevant or connected or related) near4 (segment or part or location or portion)) and LDAP and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 15:14
L9	2	"20040117410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 15:28
S1	169	(directory adj system).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:10
S2	0	(allan near c near lloyd).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:01
S3	18	(allan near2 lloyd).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:01
S4	190	(richard near harvey).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:10
S5	2	(richard near harvey).inv. and (datacraft).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:12
S6	2	"20040117410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:13
S7	2	"20020107828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:14

S8	2	"6347312".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:15
S9	2	"6085188".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:15
S10	0	ldap and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:16
S11	3433	ldap and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:16
S12	109	ldap and DIT and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:17
S13	65	ldap and DIT and "x.500" and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:18
S14	62	ldap and DIT and "x.500" and attribute and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:18
S15	63	ldap and DIT and "x.500" and attribute and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 18:19
S16	33	ldap and DIT and "x.500" and attribute and (access near control\$5) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 18:19
S17	33	ldap and DIT and "x.500" and attribute and (access near2 control\$5) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 19:10

S18	52	DIT and "x.500" and attribute and (access near2 control\$5) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 18:27
S19	0	dit and (attribute near segment) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 19:03
S20	1	dit and (attribute near segment) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 19:03
S21	136	ldap and tree and "x.500" and attribute and (access near2 control\$5) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 19:24
S22	2987	(manag\$6 with directory) and (control\$5 near2 access) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 19:25
S23	1521	(manag\$6 near3 directory) and (control\$5 near2 access) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 19:25
S24	948	(manag\$6 near3 directory) and (control\$5 near2 access) and attribute and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 19:25
S25	951	(manag\$6 near3 directory) and (control\$5 near2 access) and (attribute and tree of hierarch\$5) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 19:26
S26	315	(manag\$6 near3 directory) and (control\$5 near2 access) and (attribute and tree of hierarch\$5) and (object adj class) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 19:26
S27	729	(directory near2 system) with (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:03

S28	7	((directory near2 system) with (memory)) and (attribute and object and DIT) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:41
S29	209	(richard near2 harvey).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:42
S30	20	(richard near2 harvey).inv. and DIT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:42
S31	20	(richard near2 harvey).inv. and DIT and "X.500"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 11:57
S32	171	(directory adj system).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 11:58
S33	16	(directory adj system).ti. and DIT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 11:58
S34	2	"20050102297"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 14:31
S35	2205	(directory near2 system) and (authentication or authorization or (access near (control or right\$))) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 14:33
S36	1509	(directory near2 system) and (access near (control or right\$ or configuration)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 14:34
S37	52	(directory near2 system) and (access near (control or right\$ or configuration)) and (access near2 identifier) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 14:34

S38	81	(directory near2 system) and (access near (control or right\$ or configuration)) and (access near2 identifier) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 14:35
S39	0	(directory near2 system) and (access near (control or right\$ or configuration)) and (access near2 identifier) and DIT and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 14:35
S40	29	(directory near2 system) and (access near (control or right\$ or configuration)) and (access near2 identifier) and tree and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 14:35
S41	47	(directory near2 system) and (access near (control or right\$ or configuration)) and (access near2 identifier) and (tree or hierarchy) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:34
S42	285	(directory near2 system) and (transaction near2 manag\$6) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:34
S43	1	(directory near2 system) and (transaction near2 manag\$6) and (recover\$4 near3 directory) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:35
S44	72	(directory near2 system) and (transaction near2 manag\$6) and (recover\$4 near3 data) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:35
S45	84	(directory near2 system) and (transaction near2 manag\$6) and (recover\$4 near3 (information or data)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:36
S46	71	(directory near2 system) and (transaction near2 manag\$6) and (recover\$4 near3 (information or data)) and (transaction near2 data) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:32

S47	107	(directory near2 system) and (memory near2 manag\$6) and (usage near3 memory) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:44
S48	12	(directory near2 system) and (memory near2 manag\$6) and (usage near3 memory) and ((configu\$6 or reconfigu\$6) near3 memory) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:45
S49	477	(memory near2 manag\$6) and (usage near3 memory) and ((configu\$6 or reconfigu\$6) near3 memory) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:47
S50	109	(directory) and (memory near2 manag\$6) and (usage near3 memory) and ((configu\$6 or reconfigu\$6) near3 memory) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
S51	58	(memory near2 manag\$6) and ((usage near3 memory) same ((configu\$6 or reconfigu\$6) near3 memory)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:49
S52	23	(memory near2 manag\$6) and (monitor\$4 near4 (usage near3 memory)) and ((configu\$6 or reconfigu\$6) near3 memory) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:49
S53	70	(directory) and (memory near2 manag\$6) and (usage near3 memory) and ((configu\$6 or reconfigu\$6) near3 memory) and (memory near3 allocat\$5) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:56
S54	57	(directory near2 system) and (transaction near2 manag\$6) and (recover\$4 near3 (information or data)) and (transaction\$3 near data) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:40

S55	30	(manag\$6 near2 memory) and (monitor near4 (memory near3 usage)) and (allocat\$5 near3 memory) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:47
S56	0	(sponsoring adj object) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:48
S57	0	(sponsorr adj object) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:48
S58	2	(sponsored adj object) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:48
S59	47	(transactional adj messaging) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 15:09
S60	2	(transactional adj messaging) and (directory near2 (system or service)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 14:58
S61	54	(transactional adj message) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 15:09
S62	83	(transactional adj message) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 15:09
S63	15668	(directory near2 system or service) and (user same (services or functions)) and ((authoriz\$6 or authentikat\$5) same user same (service\$2 or function\$2)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 18:24

S64	1416	(directory near2 (system or service)) and (user same (services or functions)) and ((authoriz \$6 or authenticat\$5) same user same (service\$2 or function\$2)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 18:25
S65	476	(directory near2 (system or service)) and (user same (services or functions)) and ((authoriz \$6 or authenticat\$5) same user same (service\$2 or function\$2)) and (data same (user near5 ("logged in" or "logged on" or using or present or presence))) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 18:26
S66	132	(directory near2 (system or service)) and (user same (services or functions)) and ((authoriz \$6 or authenticat\$5) same user same (service\$2 or function\$2)) and (data near5(user near5 ("logged in" or "logged on" or using or present or presence))) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 18:26
S67	132	(directory near2 (system or service)) and (user same (services or functions)) and ((authoriz \$6 or authenticat\$5) same user same (service\$2 or function\$2)) and (data near5 (user near5 ("logged in" or "logged on" or using or present or presence))) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 18:26
S68	12	(directory near2 system) same (user near2 session) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 19:39
S69	586	(segregat\$5 or divid\$4 or stor\$4) near4 data near5 (frequen\$5 near3 access) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 19:40

S70	456	(segregat\$5 or divid\$4 or stor\$4) near3 data near4 (frequen\$5 near3 access) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 19:40
S71	1	(directory near2 (system or service)) and ((segregat \$5 or divid\$4 or stor\$4) near3 data near4 (frequen \$5 near3 access)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 19:51
S72	879	(backing adj (store or storage)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 19:52
S73	55	(directory adj (system or service)) and (backing adj (store or storage)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:05
S74	44	(directory adj (system or service)) and (user near3 session near3 data) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:09
S75	0	(directory adj (system or service)) and ((user near3 session near3 data) same ((log\$5 or sign\$4) near (in or on))) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:07
S76	1194	(user near3 session near3 data) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:09
S77	35	(user near3 session near3 data) and (stor\$4 near4 (session near3 data)) and ((chang\$4 or modif\$5) near4 (session near3 data)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:13
S78	138	(track\$4 near4 (user near2 activity)) and (authentication or authorization) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:14

S79	22	((track\$4 near4 (user near2 activity)) and (authentication or authorization) and ((chang \$4 or modif\$5) near4 (user near2 data)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:15
S80	0	((track\$4 near4 (user near2 activity)) same presence) and (authentication or authorization) and ((chang \$4 or modif\$5) near4 (user near2 data)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:15
S81	0	(track\$4 near4 (user near2 presence)) and (authentication or authorization) and ((chang \$4 or modif\$5) near4 (user near2 data)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:16
S82	10	(track\$4 near4 (user near4 presence)) and (authentication or authorization) and ((chang \$4 or modif\$5) near4 (user near2 data)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:23
S83	23	(directory adj (system or service)) and ((hash adj value) near4 (attribute or name)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:24
S84	136	(directory adj (system or service)) and (virtual adj memory) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 20:07
S85	0	(directory adj (system or service)) and ((directory near2 data) same (virtual adj memory)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 20:07
S86	0	(directory adj (system or service)) and ((directory near2 (data or object)) same (virtual adj memory)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 20:07

S87	81	(directory adj (system or service)) and ((data or object) same (virtual adj memory)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 20:08
S88	7	(directory adj (system or service)) and ((data or object) same (virtual adj memory)) and (shared adj memory) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 20:08
S89	22	(directory adj (system or service)) and (directory same (virtual adj memory)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/04 20:15
S90	4	(directory adj (system or service)) and (directory same (virtual adj memory) same ram) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 13:33
S91	12	(directory adj (system or service)) and (directory same (virtual adj memory)) and ram and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 13:34
S92	51	(directory adj (system or service)) and (directory same (shared adj memory)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 13:39
S93	40	((virtual adj memory) same ram same (backing or "back-up" or "back up")) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 14:23
S94	15645	(segment\$6 near3 memory) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:12
S95	1968	(segment\$6 near3 memory) same table and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:17
S96	65	(segment\$6 near3 memory) same table same dedicat\$4 and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:17

S97	74	(segment\$6 near3 memory) same (table or subset or set) same (attribute or data) same dedicat\$4 and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:17
S98	74	(segment\$6 near3 (memory or medium)) same (table or subset or set) same (attribute or data) same dedicat\$4 and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:19
S99	81	(segment\$6 near3 (memory or storage)) same (table or subset or set) same (attribute or data) same dedicat\$4 and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:19
S100	10	(segment\$6 near3 (storage)) same (table or subset or set) same (attribute or data) same dedicat\$4 and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:19
S101	125	(segment\$6 near3 (storage)) same dedicat\$4 and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:21
S102	500	(segment\$6 near3 (memory or storage)) same dedicat\$4 and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:21
S103	158	(segment\$6 near3 (memory or storage)) same (dedicat\$4 near5 (data or information set or subset or table or attribute)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:22
S104	158	(segment\$6 near3 (memory or storage)) same (dedicat\$4 near5 (data or information or set or subset or table or attribute)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 16:22
S105	120	(segment\$6 near3 (memory or storage)) same (parallel near2 process\$4) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 10:56

S106	0	(segment\$6 near3 (memory or storage)) same (parallel near2 process\$4) and DIT and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:19
S107	13	(segment\$6 near3 (memory or storage)) same (parallel near2 process\$4) and tree and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:19
S108	52	(segment\$6 near3 (memory or storage)) same (parallel near2 process\$4) and ((allocat\$4 or distribut\$4) near4 data) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:21
S109	4329	(segment\$6 near3 (memory or storage)) and ((allocat\$4 or distribut\$4) near4 (data ot table)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:34
S110	632	(segment\$6 near3 (memory or storage)) same ((allocat\$4 or distribut\$4) near4 (data ot table)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:34
S111	442	(segment\$6 near3 memory) same ((allocat\$4 or distribut\$4) near4 (data ot table)) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:35
S112	91	((segment\$6 near3 memory) same ((allocat\$4 or distribut\$4) near4 (data ot table))) and (dit or directory) and @ad< "20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/29 11:35
S113	2	"6965963".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 13:33
S114	2	"5819215".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 13:33
S115	2	"20040146048"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 20:39

3/ 10/ 2009 4:07:53 PM

C:\ Documents and Settings\ sahn1\ My Documents\ EAST\ Workspaces\ 10705242.wsp